


## FULLY SEALABLE ROCKET lenses for XR, XR-C & XR-E



- Designed for Cree XLamp XR-C and XR-E. Can also be used with Cree XR series of white and monochromate LEDs
- Lens material optical grade PMMA with high UV and temperature resistance (105°C/220°F)
- High optical efficiency, up to 90%
- No lens holder. Fastening to heat sink with a PU foam adhesive tape of automotive grade
- Lens foot can be potted with resin without losses in optical efficiency (**fully sealed construction** of luminaire possible)
- Diameter 26 mm (approximately 1")
- Easy build of a complete luminaire using ROCKET, XLamp® and heat sink

## LENS TYPES

NAME	ORDERING CODE	FWHM Angle
ROCKET smooth spot	CA10324_Rocket-SS	±4°
ROCKET medium	CA10250_Rocket-M	±13°
ROCKET oval	CA10325_Rocket-O	±3° x ±20°
ROCKET wide	CA10406_Rocket-W	±19°



**SMOOTH SPOT** lens is a pure collimator lens with light mixing properties. It smoothens the beam pattern and makes a uniform color distribution over the whole beam angle. Light intensity is lower than for a REAL SPOT lens. SMOOTH SPOT lens is recommended for white light applications, where pleasant, high-quality illumination is wished.

**MEDIUM** lens is optimal for cases where a pleasant, medium-type spotlight distribution with uniform color is wished.



**OVAL** lens is optimal for cases where a narrow stripe of light is wished. If a wider vertical distribution is needed, please consider LEDIL CRS-O with wider vertical distribution and a color mixing structure.

## MEASUREMENTS



### ROCKET-SS




### ROCKET-M



### ROCKET-O



## ROCKET-W



## PHOTOS



**ROCKET-SS**



**ROCKET-M**




**ROCKET-O**




**ROCKET-W**


## DIMENSIONS




**ROCKET-SS**



**ROCKET-O**



**ROCKET-M**



**ROCKET-W**

© Ledil Oy – Subject to change without prior notice

**PACKAGING**

Lenses are packed on plastic trays having 77 lenses each. One box contains 13 trays, i.e. 1001 lenses.

**SPECIAL VERSIONS**

Special versions available on request, e.g. fully metallized outer surface allowing full potting of lens up to the top surface or different packing methods.



© Ledil Oy – Subject to change without prior notice